LISTING OF THE CLAIMS

Claims 1-18 **(canceled)**

19. **(currently amended)**   A method, implemented in a computer system, of shifting a multi-word value comprising:

      performing a first shift operation on a first portion of the multi-word value to produces one or more overflow bits;

      performing a second shift operation on a second portion of the multi-word value, where the second shift operation comprises:

            producing a shift result; and

            concatenating the shift result and the overflow bits.

20.**(previously presented)**   The method of claim 19, where the second shift operation is a multi-precision shift instruction, and where the second shift operation produces a result, the method further comprising:

      fetching and decoding the multi-precision shift instruction; and

      outputting the result.

21. **(previously presented)**   The method of claim 20, where the multi-precision shift instruction is a shift left instruction.

22. **(previously presented)**   The method of claim 20, where the multi-precision shift instruction is a shift right instruction.

23. **(previously presented)**   The method of claim 20, where the multi-precision shift instruction specifies a shift increment.

24. **(currently amended)**   The method of claim 2023, where the shift increment is greater

than or equal to the number of bits in a word.

25. **(currently amended)**   The method according to claim ~~20~~23, where the shift increment is

less than the number of bits in a word.

26. **(previously presented)**   The method of claim 19, further comprising:

storing one or more bits shifted out of the second portion of the multi-word value

during the second shift instruction in a carry register.

27. **(previously presented)**   The method of claim 19, where concatenating the shift result and

the overflow bits comprises:

performing a logical OR operation on at least one bit in the shift result and at least

one overflow bit.

28. **(previously presented)**   The method of claim 19, further comprising:

storing one or more of the overflow bits in a carry register.

29. **(currently amended)**   A processor for processing multi-precision shift instructions, comprising:

a program memory for storing instructions including at least one multi-precision shift instruction;

a program counter for identifying current instructions for processing; and

a barrel shifter for executing shift instructions, including the at least one multi-precision shift instruction, the barrel shifter including:

one or more carry registers for storing values shifted out of sections of the barrel shifter; and

OR logic for concatenating values stored in one or more carry registers with values in the barrel shifter; and

where the barrel shifter is operable to shift a multi-word value, and where when shifting a multi-word value the barrel shifter:

executes at least one shift instruction to:

load a first operand into a section within the barrel shifter, where the first operand is a first portion of the multi-word value; and

generate one or more overflow bits; and

executes at least one multi-precision shift instruction fetched from the program memory to:

load a second operand into a section within the barrel shifter, where the second operand is a second portion of the multi-word value;

shift the <u>second</u> operand;

concatenate the <u>second</u> operand with one or more of the overflow

bits; and

output the shifted value.

30. **(previously presented)** The processor of claim 29, where the multi-precision shift instruction is a shift left instruction.

31. **(previously presented)** The processor of claim 29, where the multi-precision shift instruction is a shift right instruction.

32. **(previously presented)** The processor of claim 29, where the multi-precision shift instruction is an arithmetic shift instruction.

33. **(previously presented)** The processor of claim 29, where the multi-precision shift instruction is a logical shift instruction.

34. **(previously presented)** The processor of claim 29, where the multi-precision shift instruction specifies a shift increment.